Journal of Clinical Pharmacy and Therapeutics

Editors

A. Li Wan Po and M. J. Kendall

Volume 26
2001

Blackwell
Science

© 2001 Blackwell Science

Published by Blackwell Science Ltd
Osney Mead, Oxford OX2 0EL
25 John St, London WC1N 2BL
23 Ainslie Place, Edinburgh EH3 6AJ
Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA
54 University Street, Carlton, Victoria 3053, Australia

Other Editorial Offices:
Blackwell Science Inc, Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA
Blackwell Science (France Ltd, 10 rue Casimir Delvigne, 75006, Paris, France
Blackwell Science Asia, PO Box 378, Carlton, Victoria 3053, Australia
Blackwell Wissenschafts-Verlag GmbH, Kurfüstendam 57, D-10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi,
Chu-kuo, Tokyo 104, Japan

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science Ltd for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers MA 01973, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the Editor, *Journal of Clinical Pharmacy and Therapeutics*, ISSN 0269-4727/01 $15.00.

Journal of Clinical Pharmacy and Therapeutics is covered by Current Contents/Clinical Medicine, Medline, EMBASE (Excerpta Medica), Science Citation Index, ADONIS, BIOSIS, CINAHL.

ISSN 0269–4727

Typeset by SPS (Chennai), India
Printed by Cambrian Printers, Aberystwyth, UK

CONTENTS

NUMBER 1

Editorial

1 Beta-blockers in heart failure. 2. Mode of action: *S. L. Nuttall, N. J. Langford and M. J. Kendall*

Research Note

5 Consensus methods in prescribing research: *S. M. Campbell and J. A. Cantrill*

Review Article

15 Cardiac natriuretic peptides - hope or hype?: *J. Venugopal*

Research and Reports

33 Rational pharmacotherapy of hypertension in the elderly: analysis of the choice and dosage of drugs: *K. A. Jassim al Khaja, R. P. Sequeira and V. S. Mathur*

43 A comparative *in vitro* and *in vivo* study of a sugar-coated chloroquine preparation marketed in Tanzania versus an ordinary brand: *S. E. D. Nsimba, Y. Aden Abdi, G. Rimoy, A. Y. Massele, C. Alm, O. Ericsson and L. L. Gustafsson*

49 Enteral suspension of nifedipine for neonates. Part 1. Formulation of nifedipine suspension for hospital use: *M. Helin-Tanninen, T. Naaranlahti, K. Kontra and K. Wallenius*

59 Enteral suspension of nifedipine for neonates. Part 2: stability of an extemporaneously compounded nifedipine suspension: *M. Helin-Tanninen, T. Naaranlahti, K. Kontra and T. Ojanen*

67 Baclofen versus clonidine in the treatment of opiates withdrawal, side effects aspect: a double-blind randomized control trial: *S. A. Ahmadi-Abhari, S. Akhondzadeh, S. M. Assadi, O. L. Shabestari, Z. M. Farzanehgan and A. Kamlipour*

73 Adherence with naltrexone prescription advice in hospital outpatient alcohol rehabilitation programme: *G. F. X. Feeney, J. P. Connor, R. McD. Young, J. Tucker and F. Czajkowski*

NUMBER 2

Review Article

81 Antihistamines as analgesics: *R. B. Raffa*

Research and Reports

87 Particulate contamination of lyophilized amphotericin B preparation during reconstitution process: *T. Sendo, M. Hirakawa, K. Makino, K. Nakashima, Y. Kataoka and R. Oishi*

93 Prescribing at the Primary Care Group level: census data and prescribing: *D. C. E. F. Lloyd and G. Scrivener*

103 Clinical trials in Italy: focus on the protocols submitted to Ethics Committees: *F. Venturini, C. Alberti, M. P. Alberti and G. Scroccaro*

111 Parkinsonism and Parkinson's disease associated with long-term administration of sertraline: *M. A. Pina Latorre, P. J. Modrego, F. Rodilla, C. Catalán and M. Calvo*

113 Bioequivalence of allopurinol and its metabolite oxipurinol in two tablet formulations: *P. Guerra, J. Frías, B. Ruiz, A. Soto, A. Carcas, C. Govantes, C. Montuenga and A. Fernández*

121 Minimization in crossover trials with non-prognostic strata: theory and practical application: *H. Green, D. J. McEntegart, B. Byrom, S. Ghani and S. Shepherd*

129 Self-reported medication use for older people in England and Wales: *Y.-F. Chen, M. E. Dewey and A. J. Avery*

141 Plasma malondialdehyde (MDA) levels in breast and lung cancer patients: *A. Gönenç, Y. Özkan, M. Torun and B. Simsek*

145 An evaluation of the change in electrocardiograph P-wave variables after acute caffeine ingestion in normal volunteers: *M. F. Caron, J. Song, R. Ammar, J. Kluger and C. M. White*

149 Bioequivalence evaluation of two brands of cefaclor 500 mg capsules: quantification of cefaclor using solid phase extraction technique: *M. Tutunji, O. Jarrar, M. Musameh, S. M. Alam, Quamruzaman and R. Dham*

Letter to the Editor

155 Therapeutic benefit of adjunctive dipyridamole in schizophrenia is probably due to adenosine–glutamate interactions: *M. G. Brunstein, P. Belmonte-de-Abreu, D. O. Souza and D. R. Lara*

NUMBER 3

Commentary

157 The noncompliance blame game: *J. H. Kilwein*

Review Article

159 Itraconazole oral solution and intravenous formulations: a review of pharmacokinetics and pharmacodynamics: *L. Willems, R. van der Geest and K. de Beule*

Research and Reports

171 Identification of the precipitate in alkalinized solutions of mepivacaine and bupivacaine at 37 °C: *P. E. Bigeleisen and M. Wempe*

175 Effect of temperature on serum protein binding characteristics of phenytoin in monotherapy paediatric patients with epilepsy: *H. Kodama, Y. Kodama, N. Itokazu, S. Shinozawa, R. Kanemaru and T. Sugimoto*

181 Cerebral embolism and hormone replacement therapy: *N. Inoue, K. Kihara, A. Hashiguchi, F. Maehara, S. Yoshioka and Y. Ushio*

187 Influence of seven beverages on salicylate disposition in humans: *P. Odou, C. Barthelémy and H. Robert*

195 Antibiotic prescribing by single-handed general practitioners: secondary analysis of data: *P. S. Gill and A. Roalfe*

201 A leucine(7)-to-proline(7) polymorphism in the signal peptide of neuropeptide Y was not identified in the Japanese population: *K. Makino, Y. Kataoka, Y. Hirakawa, A. Ikeda, A. Yamauchi and R. Oishi*

205 Heterogeneity of *CYP2D6* gene among Malays in Malaysia: *L. K. Teh, R. Ismail, R. Yusoff, A. Hussein, M. N. Isa and A. R. A. Rahman*

213 Population pharmacokinetic modelling of carbamazepine by using the iterative Bayesian (IT2B) and the nonparametric EM (NPEM) algorithms: implications for dosage: *I. B. Bondareva, A. V. Sokolov, I. F. Tischenkova and R. W. Jelliffe*

Case Report

225 Severe toxic hepatitis associated with amoxycillin and clavulanic acid: *G. Ersoz, Z. Karasu, C. Yildiz, U. S. Akarca, G. Yuce and Y. Batur*

NUMBER 4

Commentary

231 Prostate cancer and antioxidants: *J. George, S. L. Nuttall and M. J. Kendall*

Research notes

235 Prescribing information systems; making sense of primary care data: *S. R. Chapman*

241 Record-linkage methodology for prescribing research: *G. Libby, T. M. MacDonald and J. M. M. Evans*

Review articles

247 Treatment of aneurysmal subarachnoid haemorrhage in elderly patients: *P. K. Sarkar, C. D'Souza and S. Ballantyne*

257 Pharmacology of oral combination analgesics: rational therapy for pain: *R. B. Raffa*

Research and Reports

265 Plasma concentrations of alpha-tocopherol and urate in patients with different types of cancer: *C. Abiaka, F. Al-Awaki, S. Gulshan, H. Al-Sayer, A. Behbehani, M. Farghaly and A. Simbeye*

271 Effects of Paeonidae Radix, a traditional Chinese medicine, on the pharmacokinetics of phenytoin: *L. C. Chen, M. H. Chou, M. F. Lin and L. L. Yang*

279 Lithium reduces maternal child abuse behaviour: a preliminary report: *P. do Prado-Lima, L. Knijnik, M. Juruena and A. Padilla*

283 Assessment of weight-based versus standard-dosing of heparin in patients with unstable angina: *J. Folstad, M. F. Caron, I. Nguyen and C. M. White*

287 Peak expiratory flow rate and symptom self-monitoring of asthma initiated from community pharmacies: *A. Bheekie, J. A. Syce and E. G. Weinberg*

297 Influence of adjuvant chemotherapy with cyclophosphamide, methotrexate and 5-fluorouracil on plasma melatonin and chosen hormones in breast cancer premenopausal patients: *D. Kajdaniuk, B. Marek and B. Kos-Kudla*

303 Isoprostane 8-epi-$PDF_{2\alpha}$ is frequently increased in patients with muscle pain and/or CK-elevation after HMG-Co-enzyme-A-reductase inhibitor therapy: *H. Sinzinger, G. Lupattelli, F. Chehne, A. Oguogho and C. D. Furberg*

NUMBER 5

Evidence-Based Pharmacotherapy Case Report

311 Is home peak expiratory flow monitoring effective for controlling asthma symptoms?: *A. M. McGrath, D. Gardner and J. McCormack*

Review Articles

319 Neopterin measurement in clinical diagnosis: *A. Berdowska and K. Zwirska-Korczala*

331 Patient adherence to treatment: three decades of research. A comprehensive review: *E. Vermeire, H. Hearnshaw, P. Van Royen and J. Denekens*

Research and Reports

343 Oral L-arginine administration attenuates postprandial endothelial dysfunction in young healthy males: *S. Marchesi, G. Lupattelli, D. Siepi, A. R. Roscini, G. Vaudo, H. Sinzinger and E. Mannarino*

351 Evaluation of the use of evidence-based angiotensin-converting enzyme inhibitor criteria for the treatment of congestive heart failure: opportunities for pharmacists to improve patient outcomes: *G. J. Pearson, C. Cooke, W. K. T. Simmons and I. Sketris*

363 Passionflower in the treatment of generalized anxiety: a pilot double-blind randomized controlled trial with oxazepam: *S. Akhondzadeh, H. R. Naghavi, M. Vazirian, A. Shayeganpour, H. Rashidi and M. Khani*

369 Passionflower in the treatment of opiates withdrawal: a double-blind randomized controlled trial: *S. Akhondzadeh, L. Kashani, M. Mobaseri, S. H. Hosseini, S. Nikzad and M. Khani*

375 Influence of age and comedication on steady-state clonazepam serum level–dose ratios in Japanese epileptic patients: *E. Yukawa, M. Satou, T. Nonaka, M. Yukawa, S. Ohdo, S. Higuchi, T. Kuroda and Y. Goto*

381 Microanalysis of propofol in human serum by semi-microcolumn high-performance liquid chromatography with UV detection and solid-phase extraction: *D. Teshima, H. Nagahama, K. Makino, Y. Kataoka and R. Oishi*

Case Report

387 Usefulness of forced diuresis for acute boric acid poisoning in an adult: *D. Teshima, T. Taniyama and R. Oishi*

NUMBER 6

Commentary

391 Rhabdomyolysis with HMG CoA reductase inhibitors: a class effect?: *N. J. Langford and M. J. Kendall*

Research Note

397 Cross-sectional studies in prescribing research: *J. Jesson*

Review Article

405 DNA topoisomerases as targets for anticancer drugs: *Z. Topcu*

Research and Reports

417 The clinical importance of the trimethadione tolerance test as a method for quantitative assessment of hepatic functional reserve in patients with biliary atresia: *H. Nakamura, E. Tanaka, M. Kaneko, M. Iwakawa, T. Hori, K. Ikebukuro, T. Amagai and H. Ohkawa*

425 Cholesterol esterase activities in commercial pancreatic preparations and implications for use in pancreatic insufficient cystic fibrosis: *M. P. Walters and S. P. Conway*

433 Determinants of prescribing costs amongst single-handed general practitioners: *P. S. Gill and A. Roalfe*

437 Prescribing for multiple sclerosis patients in general practice: a case-control study: *H. L. Tremlett, D. K. Luscombe and C. M. Wiles*

445 Outpatient parenteral antimicrobial therapy (OPAT) for the treatment of osteomyelitis: evaluation of efficacy, tolerance and cost: *L. Bernard, L. El-hajj, B. Pron, A. Lotthé, V. Gleizes, F. Signoret, Ph. Denormandie, J. L. Gaillard and C. Perronne*

Case Report

453 Hypercalcemia and idiopathic hypoparathyroidism: *M. Schroth, J. Dötsch and H. G. Dörr*

457 Author and keyword index